



# GM KODIAK/TOPKICK VH2 Platform Body



## Standard Features

- 9' Long x 96" Wide (inquire about longer sizes)
- C4500/C5500 – 4x2 or 4x4
- 60" CA Required for Body
- 12 Gauge Galvanneal Steel Construction
- 5" Structural Channel Longmembers with 3" Structural Channel Crossmembers
- (9) 2" x 4" Stake Pockets with Covers
- (4) Heavy-Duty Tie Downs in Floor
- 2 L.E.D. Clearance Lights Each Side & 3 Across Rear
- Tapered Rear Skirt with Positions for L.E.D. Stop, Turn & Taillights and Backup & Licence Plate Lights
- Heavy Duty Contour Bulkhead with Louvered Cross Bars & L.E.D. Stop, Turn, & Taillights and Backup Lights & Halogen Deck Light Switched from Cab
- Rolled Radius Fenders
- Electric Backup Alarm, 97 dB
- 2 5/16" Turnover Ball Hitch
- Stainless Steel Hand Rails with Chrome Stanchions
- (2) 28.8" H x 14" D x 15" W - Built in Toolboxes with Stainless Steel Key Lock Latches & Hinges. Toolboxes Ahead of Rear Axle Under Floor.
- One-Piece Smooth Sides that Taper to Rear
- Step Bumper at Rear with Built-In 2½" Receiver Tube (12,500#)
- Stainless Steel Treadplate Dress-Up Kit
- Black Rhino Lining on Deck

### Chassis Requirements:

- Finished CA of 60"
- Dual Fuel Tanks (NG6) required for 4x2 applications
- 32 Gallon Fuel Tank (NLA) required for 4x4 applications

### Strongly Suggested Items:

- Taper Leaf Springs (GR2 or GXA) will provide a smoother ride, if available.
- 7-Wire Trailer Harness (U86) for rear hitch
- Air Suspension Seats (AQR & AQT)
- Back Wall Trim Panel (E89)

### Suggested Items:

- Rear Locking Differential (G80)
- Rear Stabilizer Bar (GN1)
- Hystic Cab Mounts (EJ5)

## Base Chassis Order Information

# MTE VH2 Platform Body

## Standard Features:

- 100% Powder Coat
- Galvanneal Steel Construction
- 2 Large Side Compartments
- **NEW** (9) 2" x 4" Stake Pockets with Covers
- **NEW** (4) Heavy-Duty Tie Downs in Floor
- Protective Spray-On Floor Lining
- B&W Turnover Ball Hitch
- Stainless Steel Treadplate Trim
- **NEW** Stainless Steel Bed Rails
- Step Bumper at Rear of Body with a **NEW** Built-In 2½" Receiver Tube
- Heavy Duty Contour Bulkhead with **NEW** L.E.D. Stop, Turn, Tail & Clearance Lights, Backup Lights and Halogen Deck Light
- *Chassis Requirements: 4x4 Chassis requires factory 32 gallon rear tank*



Shown with Optional Equipment.



Shown with Optional Stainless Steel  
Treadplate Stake Racks  
and Trough Cover

**NEW**

60" CA Body




84" CA Body

**100%  
Powder Coat**

**MONROE**  
TRUCK EQUIPMENT

**C4500/5500  
(4x4 or 4x2)  
60" or 84" CA**

## Standard Features



## Optional Equipment



Trough Cover to Provide Flat Floor



Stainless Steel Treadplate Stake Racks & Trough Cover



B&W 5<sup>th</sup> Wheel Hitch



**Monroe Truck Equipment, Inc**  
 1051 W. 7th Street, Monroe, WI 53566  
 608-329-8127 • 888-878-8777  
 Fax: 608-329-8521  
[www.monroetruck.com](http://www.monroetruck.com)



Available Nation-Wide  
 Ship-Thru Code VCB

# GM KODIAK/TOPKICK VH2 Platform Body



## Standard Features

- 9' Long x 96" Wide (inquire about longer sizes)
- C4500/C5500 – 4x2 or 4x4
- 60" CA Required for Body
- 12 Gauge Galvanneal Steel Construction
- 5" Structural Channel Longmembers with 3" Structural Channel Crossmembers
- (9) 2" x 4" Stake Pockets with Covers
- (4) Heavy-Duty Tie Downs in Floor
- 2 L.E.D. Clearance Lights Each Side & 3 Across Rear
- Tapered Rear Skirt with Positions for L.E.D. Stop, Turn & Taillights and Backup & Licence Plate Lights
- Heavy Duty Contour Bulkhead with Louvered Cross Bars & L.E.D. Stop, Turn, & Taillights and Backup Lights & Halogen Deck Light Switched from Cab
- Rolled Radius Fenders
- Electric Backup Alarm, 97 dB
- 2 5/16" Turnover Ball Hitch
- Stainless Steel Hand Rails with Chrome Stanchions
- (2) 28.8" H x 14" D x 15" W - Built in Toolboxes with Stainless Steel Key Lock Latches & Hinges. Toolboxes Ahead of Rear Axle Under Floor.
- One-Piece Smooth Sides that Taper to Rear
- Step Bumper at Rear with Built-In 2½" Receiver Tube (12,500#)
- Stainless Steel Treadplate Dress-Up Kit
- Black Rhino Lining on Deck

### Chassis Requirements:

- Finished CA of 60"
- Dual Fuel Tanks (NG6) required for 4x2 applications
- 32 Gallon Fuel Tank (NLA) required for 4x4 applications

### Strongly Suggested Items:

- Taper Leaf Springs (GR2 or GXA) will provide a smoother ride, if available.
- 7-Wire Trailer Harness (U86) for rear hitch
- Air Suspension Seats (AQR & AQT)
- Back Wall Trim Panel (E89)

### Suggested Items:

- Rear Locking Differential (G80)
- Rear Stabilizer Bar (GN1)
- Hystic Cab Mounts (EJ5)

## Base Chassis Order Information